
# **PROSTATE CANCER**





Prostate cancer that develops in cells of the prostate. Number 1 cancer in men, and 4th most common cancer in Canada<sup>1,2,3</sup>





>50years





African, Caribbean and Black (ACB) men are likely to be affected, have advanced form of the disease, and/or die from the disease than other races












When present,


Long standing back or pelvic pain





- Difficulty in starting urination
- Pain during urination
- Weak flow of urine, Increased frequency of urination especially at night
- Blood in urine





### No standard screening tests

**However, Prostate Specific Antigen** (PSA) Test may be recommended between age 55 - 69 years after a discussion with the doctor on benefits and harms of the screening

## DIAGNOSIS



No known prevention strategy

## **Prostate biopsy**



Procedure involving taking a small piece of the prostate to check under the microscope for cancer cells

#### TREATMENT/ 1,2 **MANAGEMENT**



**Expectant** management (Active surveillance)






therapy

COMPLICATION



**Impotence** 



Loss of bladder control or rectal problems may occur following surgery or radiation therapy

for Disease Control and Prevention. Basic Information About Prostate Cancer [Internet]. Centre for Diseases Control and Prevention. 2019 ov/cancer/prostate/basic\_info/index.htm ...Prostate cancer screening in Black men in Canada: a case for risk-stratified care. Prostate cancer screening in Black men in Canada: a 2017. Available from: https://www.canada.ca/en/public-health/services/publications/diseases-conditions/prostate-cancer.html ancer—Clinician Summary – Canadian Task Force on Preventive Health Care [Internet]. Canada Task Force on Preventive Health Intaskforce.ca/prostate-cancer-clinician-summary/



